

OBMW2.E93551 Magnet Wire - Component

[Page Bottom](#)

Magnet Wire - Component

[See General Information for Magnet Wire - Component](#)

EDERFIL BECKER KOOP E

E93551

Poligono Industrial S/N
Legorreta
20250 Guipuzcoa, SPAIN

Material Designation	Mark Dsg	Base Coat	Top Coat	ANSI Type	Temp Class
C200	C200	Modified Polyester	Polyamide-imide	MW 35-C	200[#]
C200 PLUS	C200 PLUS	Polyester-imide	Polyamide-imide	MW 37-C	220
C220	C220	Polyester	Polyamide-imide	MW 37-C	220
F-155	F-155	Polyurethane	-	MW 79-C	155
H+NY	H+NY	Polyester	Polyamide	MW 24-C	155
H180	H180	Polyester-imide	-	MW 30-C	180
S.H.180	S.H.180	Polyurethane	-	MW 82-C	180


Material Designation	Mark Dsg	Base Coat	Top Coat	Bond Coat	ANSI/Conductor Type	Temp Class
C200 TERMO	C200 TERMO	Polyester-imide	Polyamide-imide	Aromatic Polyamide	-	200
		Polyester-imide	Polyamide-imide	Aromatic Polyamide	MW 102-C	180[#]

[#] - The magnet wire may perform better than the rating reflects and may not be suitable for insulation system, varnish or end-product testing. Further consideration is necessary prior to its use in testing.

Marking: Company name or tradename "BECKER" , "EDERFIL" , "EDERFIL BECKER" or trademark



, material designation or marked designation and the Recognized Component Mark,

 on the shipping spool label or smallest unit container in which the product is packaged.

[Last Updated](#) on 2016-04-02

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".